



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
<http://www.cctestinglabs.com>  
Lic# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

1 of 4

## Astro-Lato

METRC Sample: 1A40603000099ED000012695; METRC Batch: 1A4060300001F41000000642

Sample ID: 2102CCT0637.1634

Produced: 02/09/2021

Distributor  
Purple Star MD

Producer  
Purple Star MD

Strain: Astro-Lato

Collected: 02/15/2021

Lic. # C11-0000006-LIC  
2525 Phelps St  
San Francisco, CA 94124

Lic. # CDPH-10002056  
2525 Phelps St San Francisco, CA 94124

Matrix: Concentrates & Extracts

Received: 02/15/2021

Type: Shatter

Completed: 02/19/2021

Sample Size: 13 units; Batch: 1,951 units

Batch#: CO-20132

## Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/16/2021	Pass
Residual Solvents	02/16/2021	Pass
Microbials	02/16/2021	Pass
Mycotoxins	02/17/2021	Pass
Pesticides	02/17/2021	Pass
Heavy Metals	02/16/2021	Pass
Foreign Matter	02/15/2021	Pass



## Cannabinoids

Pass

761.795 mg/g

Total THC

2.531 mg/g

Total CBD

781.762 mg/g

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/container	mg/unit
THCa	0.1000	0.2000	785.884	78.5884	785.884	785.884
Δ9-THC	0.1000	0.2000	72.575	7.2575	72.575	72.575
Δ8-THC	0.1000	0.2000	ND	ND	ND	ND
THCV	0.1000	0.2000	ND	ND	ND	ND
CBDa	0.1000	0.2000	2.099	0.2099	2.099	2.099
CBD	0.1000	0.2000	0.690	0.0690	0.690	0.690
CBDV	0.1000	0.2000	ND	ND	ND	ND
CBN	0.1000	0.2000	0.363	0.0363	0.363	0.363
CBGa	0.1000	0.2000	12.913	1.2913	12.913	12.913
CBG	0.1000	0.2000	2.791	0.2791	2.791	2.791
CBC	0.1000	0.2000	1.370	0.1370	1.370	1.370
Total THC			761.795	76.180	761.795	761.795
Total CBD			2.531	0.253	2.531	2.531
Total			781.762	78.176	781.762	

Date Tested: 02/16/2021

1 Unit = 1g, 1 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: HPLC UV-DAD; Method: CCTL-PM002. Samples were collected as per 16 CCR Section 5707

Not Required

Moisture Content

Moisture Analyzer

Not Required

Water Activity

Rotronic AwTherm

Pass

Foreign Matter

Intertek Magnifier Lamp



*P. M. Angeri*

Satish Annigeri  
Scientific Director  
02/19/2021

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
http://www.cctestinglabs.com  
Lic# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

2 of 4

## Astro-Lato

METRC Sample: 1A40603000099ED000012695; METRC Batch: 1A4060300001F41000000642

Sample ID: 2102CCT0637.1634

Produced: 02/09/2021

Distributor

Producer

Strain: Astro-Lato

Collected: 02/15/2021

Purple Star MD

Purple Star MD

Matrix: Concentrates & Extracts

Received: 02/15/2021

Lic. # C11-0000006-LIC

Lic. # CDPH-10002056

Type: Shatter

Completed: 02/19/2021

2525 Phelps St

2525 Phelps St San Francisco, CA 94124

Sample Size: 13 units; Batch: 1,951 units

Batch#: CO-20132

San Francisco, CA 94124

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.006176	0.01235	0.1	ND	Pass	Fludioxonil	0.006176	0.01235	0.1	ND	Pass
Acephate	0.006176	0.01235	0.1	ND	Pass	Hexythiazox	0.006176	0.01235	0.1	ND	Pass
Acequinocyl	0.0125	0.025	0.1	ND	Pass	*Imazalil	0.006176	0.01235	0.006176	ND	Pass
Acetamiprid	0.006176	0.01235	0.1	ND	Pass	Imidacloprid	0.006176	0.01235	5	ND	Pass
*Aldicarb	0.006176	0.01235	0.006176	ND	Pass	Kresoxim Methyl	0.006176	0.01235	0.1	ND	Pass
Azoxystrobin	0.006176	0.01235	0.1	ND	Pass	Malathion	0.006176	0.01235	0.5	ND	Pass
Bifenazate	0.006176	0.01235	0.1	ND	Pass	Metalaxyl	0.006176	0.01235	2	ND	Pass
Bifenthrin	0.025	0.05	3	ND	Pass	*Methiocarb	0.006176	0.01235	0.006176	ND	Pass
Boscalid	0.006176	0.01235	0.1	ND	Pass	Methomyl	0.006176	0.01235	1	ND	Pass
Captan	0.2515	0.503	0.7	ND	Pass	*Mevinphos	0.006176	0.01235	0.006176	ND	Pass
Carbaryl	0.006176	0.01235	0.5	ND	Pass	Myclobutanil	0.006176	0.01235	0.1	ND	Pass
*Carbofuran	0.006176	0.01235	0.006176	ND	Pass	Naled	0.006176	0.01235	0.1	ND	Pass
Chlorantraniliprole	0.006176	0.01235	10	ND	Pass	Oxamyl	0.006176	0.01235	0.5	ND	Pass
*Chlordane	0.0314	0.0628	0.0314	ND	Pass	*Paclobutrazol	0.006176	0.01235	0.006176	ND	Pass
*Chlorfenapyr	0.0314	0.0628	0.0314	ND	Pass	*Parathion Methyl	0.032	0.064	0.032	ND	Pass
*Chlorpyrifos	0.006176	0.01235	0.006176	ND	Pass	Pentachloronitrobenzene	0.032	0.064	0.1	ND	Pass
Clofentezine	0.006176	0.01235	0.1	ND	Pass	Permethrin	0.025	0.05	0.5	ND	Pass
*Coumaphos	0.006176	0.01235	0.006176	ND	Pass	Phosmet	0.006176	0.01235	0.1	ND	Pass
Cyfluthrin	0.0247	0.0494	2	ND	Pass	Piperonyl Butoxide	0.006176	0.01235	3	ND	Pass
Cypermethrin	0.01235	0.0247	1	ND	Pass	Prallethrin	0.006176	0.01235	0.1	ND	Pass
*Daminozide	0.006176	0.01235	0.006176	ND	Pass	Propiconazole	0.006176	0.01235	0.1	ND	Pass
Diazinon	0.006176	0.01235	0.1	ND	Pass	*Propoxur	0.006176	0.01235	0.006176	ND	Pass
*Dichlorvos	0.006176	0.01235	0.006176	ND	Pass	Pyrethrins	0.03124	0.0625	0.5	ND	Pass
*Dimethoate	0.006176	0.01235	0.006176	ND	Pass	Pyridaben	0.006176	0.01235	0.1	ND	Pass
Dimethomorph	0.006176	0.01235	2	ND	Pass	Spinetoram	0.006176	0.01235	0.1	ND	Pass
*Ethoprophos	0.006176	0.01235	0.006176	ND	Pass	Spinosad	0.012352	0.0247	0.1	ND	Pass
*Etofenprox	0.006176	0.01235	0.006176	ND	Pass	Spiromesifen	0.006176	0.01235	0.1	ND	Pass
Etoazole	0.006176	0.01235	0.1	ND	Pass	Spirotetramat	0.006176	0.01235	0.1	ND	Pass
Fenhexamid	0.006176	0.01235	0.1	ND	Pass	*Spiroxamine	0.006176	0.01235	0.006176	ND	Pass
*Fenoxycarb	0.0125	0.025	0.0125	ND	Pass	Tebuconazole	0.006176	0.01235	0.1	ND	Pass
Fenpyroximate	0.006176	0.01235	0.1	ND	Pass	*Thiacloprid	0.006176	0.01235	0.006176	ND	Pass
*Fipronil	0.006176	0.01235	0.006176	ND	Pass	Thiamethoxam	0.006176	0.01235	5	ND	Pass
Flonicamid	0.006176	0.01235	0.1	ND	Pass	Trifloxystrobin	0.006176	0.01235	0.1	ND	Pass

Date Tested: 02/17/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS). Samples were collected as per 16 CCR Section 5707. \* Category I residual pesticides



*P. M. Annigeri*

Satish Annigeri  
Scientific Director  
02/19/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
<http://www.cctestinglabs.com>  
Lic# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

3 of 4

## Astro-Lato

METRC Sample: 1A40603000099ED000012695; METRC Batch: 1A4060300001F41000000642

Sample ID: 2102CCT0637.1634

Produced: 02/09/2021

Distributor  
Purple Star MD

Producer  
Purple Star MD

Strain: Astro-Lato

Collected: 02/15/2021

Matrix: Concentrates & Extracts

Received: 02/15/2021

Lic. # C11-0000006-LIC  
2525 Phelps St  
San Francisco, CA 94124

Lic. # CDPH-10002056  
2525 Phelps St San Francisco, CA 94124

Type: Shatter

Completed: 02/19/2021

Sample Size: 13 units; Batch: 1,951 units

Batch#: CO-20132

## Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 02/16/2021

TNTC = Too Numerous to Count; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012. Samples were collected as per 16 CCR Section 5707.

## Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.54	3.088		ND	Tested
B2	3.088	6.16		ND	Tested
G1	1.54	3.088		ND	Tested
G2	1.54	3.088		ND	Tested
Total Aflatoxins	7.708	15.42	20	ND	Pass
Ochratoxin A	6.16	12.32	20	ND	Pass

Date Tested: 02/17/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: LC/MS; Method: CCTL-PM020. Samples were collected as per 16 CCR Section 5707.

## Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.016190454	0.1	0.2	ND	Pass
Cadmium	0.017157262	0.1	0.2	ND	Pass
Lead	0.014850831	0.1	0.5	<LOQ	Pass
Mercury	0.008172028	0.02	0.1	ND	Pass

Date Tested: 02/16/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: ICP-MS; Method: CCTL-PM005. Samples were collected as per 16 CCR Section 5707.



*P. M. Annigeri*

Satish Annigeri  
Scientific Director  
02/19/2021

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.



CC Testing Labs  
18417 Bryant St  
Northridge, CA 91325

(818) 797-1500  
<http://www.cctestinglabs.com>  
Lic# C8-0000068-LIC  
ISO/IEC Standard 17025:2017 Testing Laboratory TL-819

Regulatory Compliance Testing

4 of 4

## Astro-Lato

METRC Sample: 1A40603000099ED000012695; METRC Batch: 1A4060300001F41000000642

Sample ID: 2102CCT0637.1634

Produced: 02/09/2021

Distributor

Producer

Strain: Astro-Lato

Collected: 02/15/2021

Purple Star MD

Purple Star MD

Matrix: Concentrates & Extracts

Received: 02/15/2021

Lic. # C11-0000006-LIC

Lic. # CDPH-10002056

Type: Shatter

Completed: 02/19/2021

2525 Phelps St

2525 Phelps St San Francisco, CA 94124

Sample Size: 13 units; Batch: 1,951 units

Batch#: CO-20132

San Francisco, CA 94124

## Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
*1-2-Dichloro-Ethane	0.39	0.61	1.00	ND	Pass
Acetone	36.09	84.10	5000.00	ND	Pass
Acetonitrile	37.83	85.12	410.00	ND	Pass
*Benzene	0.27	0.55	1.00	ND	Pass
Butane	47.23	85.35	5000.00	2643.11	Pass
*Chloroform	0.29	0.66	1.00	ND	Pass
Ethanol	46.62	94.08	5000.00	ND	Pass
Ethyl-Acetate	32.57	81.89	5000.00	ND	Pass
Ethyl-Ether	31.01	79.39	5000.00	ND	Pass
*Ethylene Oxide	0.41	0.59	1.00	ND	Pass
Heptane	59.17	108.87	5000.00	<LOQ	Pass
Isopropanol	35.32	82.60	5000.00	1422.00	Pass
Methanol	30.78	86.03	3000.00	ND	Pass
*Methylene-Chloride	0.25	0.57	1.00	ND	Pass
n-Hexane	38.88	77.75	290.00	<LOQ	Pass
Pentane	44.69	87.66	5000.00	ND	Pass
Propane	73.64	96.73	5000.00	ND	Pass
Toluene	23.62	79.45	890.00	ND	Pass
*Trichloroethene	0.21	0.60	1.00	ND	Pass
Total Xylenes	44.05	100.50	2170.00	ND	Pass

Date Tested: 02/16/2021

LOQ = Limit of Quantitation; All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Instrument: GC; Method: CCTL-PM010.

Samples were collected as per 16 CCR Section 5707. \* Category I residual solvents



*P. M. Annigeri*

Satish Annigeri  
Scientific Director  
02/19/2021

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL. Samples were collected as per 16 CCR Section 5707.