Result Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Complete

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Double Dream

larrei

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000020297; Metrc Batch: 1A4060300001F41000000963

-			
Sample ID: HR20211090304	Produced: 10/15/2021	Distributor	Producer
Strain: Double Dream	Collected: 10/15/2021	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 10/15/2021	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Other	Completed: 10/20/2021	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 13 units; Batch: 2,342 units	Batch#: CO-21165	San Francisco, CA 94124	



Cannabinoids

	0.13% otal THC	3		ND Total CBD	9		90.39% Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	Result	Result	
	%	%	%	mg/g	mg/unit	mg/serving	
THCa	0.00400	0.01400	83.45	834.50	834.50	834.50	
Δ9-THC	0.00700	0.02100	6.94	69.40	69.40	69.40	DIALOIV
CBDa	0.00300	0.01000	ND	ND	ND	ND	
CBD	0.00500	0.01500	ND	ND	ND	ND	
CBN	0.00300	0.00800	ND	ND	ND	ND	
CBG	0.00700	0.02200	ND	ND	ND	ND	
Total THC			80.13	801.26	801.26	801.26	
Total CBD			ND	ND	ND	ND	
Total			90.39	903.90	903.90	903.90	

1 Unit = g, 1g. 1 unit(s) per serving. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBDND = Not Detected; NR = Not Reported; LOD = Limi

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 10/20/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323; SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545 ISO 17025 Accredited Laboratory

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Double Dream

Harrer

Metrc Sample: 1A40603000099ED000020297; Metrc Batch: 1A4060300001F41000000963						
Sample ID: HR20211090304	Produced: 10/15/2021	Distributor	Producer			
Strain: Double Dream	Collected: 10/15/2021	Purple Star MD	Purple Star MD			
Matrix: Concentrates & Extracts	Received: 10/15/2021	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056			
Type: Other	Completed: 10/20/2021	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124			
Sample Size: 13 units; Batch: 2,342 units	Batch#: CO-21165	San Francisco, CA 94124				

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
β-Caryophyllene	0.0080	0.0100	1.461	14.61	
α-Humulene	0.0080	0.0100	0.454	4.54	
β-Myrcene	0.0080	0.0100	0.263	2.63	
δ-Limonene	0.0080	0.0100	0.262	2.62	
Linalool	0.0080	0.0100	0.221	2.21	
3-Pinene	0.0080	0.0100	0.017	0.17	
α-Pinene	0.0080	0.0100	0.014	0.14	
3-Carene	0.0080	0.0100	ND	ND	
x-Bisabolol	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
3-Ocimene	0.0080	0.0100	ND	ND	
Camphene	0.0080	0.0100	ND	ND	
Caryophyllene Oxide	0.0080	0.0100	ND	ND	
is-Nerolidol	0.0080	0.0100	ND	ND	
Eucalyptol	0.0080	0.0100	ND	ND	
-Terpinene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Guaiol	0.0080	0.0100	ND	ND	
sopulegol	0.0080	0.0100	ND	ND	
Dcimene	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
Terpinolene	0.0080	0.0100	ND	ND	
rans-Nerolidol	0.0080	0.0100	ND	ND	
Total	A		2.692	26.92	

Primary Aromas



Date Tested: 10/18/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

Ming Li - General Manager 10/20/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

ISO 17025 Accredited Laboratory

larrens

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Double Dream

Metrc Sample: 1A40603000099ED000020297; Metrc Batch: 1A4060300001F41000000963

Sample ID: HR20211090304	Produced: 10/15/2021	Distributor	Producer
Strain: Double Dream	Collected: 10/15/2021	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 10/15/2021	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Other	Completed: 10/20/2021	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 13 units; Batch: 2,342 units	Batch#: CO-21165	San Francisco, CA 94124	

Pesticides

LOD LOQ LOD Analyte Limit Results Status Analyte LOQ Limit Results Status µg/g µg/g µg/g µg/g µg/g µg/g µg/g $\mu g/g$ Abamectin 0.1 0.1 ND Pass Fludioxonil 0.1 0.1 ND Pass 0.03 0.1 0.1 ND 0.1 ND Acephate Pass Hexythiazox 0.1 Pass 0.03 ND Pass 0.1 ND Acequinocyl 01 01 Imazalil Pass Imidacloprid Acetamiprid 0.1 0.1 ND Pass 0.1 5 ND Pass Aldicarb 0.1 ND Pass Kresoxim Methyl 0.1 0.1 ND Pass Azoxystrobin 0.1 0.1 ND Pass Malathion 0.1 ND Pass Bifenazate 0.1 ND Pass 0.1 2 ND 0.03 0.1 Metalaxyl Pass 0.1 ND Pass Pass Bifenthrin 0.03 3 Methiocarb 01 ND Boscalid 0.03 0.1 0.1 ND Pass Methomyl 0.1 ND Pass 1 Captan 0.1 ND Pass Mevinphos 0.1 ND Pass Carbaryl 0.1 ND Pass Myclobutanil 0.1 0.1 ND Pass 0.1 Carbofuran ND Pass Naled 0.1 0.1 ND Pass Chlorantraniliprole 0.1 10 ND Pass Oxamyl 0.1 ND Pass Chlordane 0.1 0.03 ND Pass Paclobutrazol 0.03 0.1 0.03 ND Pass ND Chlorfenapyr 0.1 Pass Parathion Methyl 0.1 0.03 ND Pass Pass Chlorpyrifos 0.1 ND Pass Pentachloronitrobenzene 0.1 0.1 ND Clofentezine 0.1 0.1 ND Pass Permethrin 0.1 ND Pass Coumaphos 0.1 0.03 ND Pass Phosmet 0.1 0.1 ND Pass Cyfluthrin 2 ND Pass **Piperonyl Butoxide** ND 0.1 0.1 Pass Cypermethrin ND Pass Prallethrin 0.1 ND 0.1 1 0.1 Pass Daminozide 0.1 0.03 ND Pass Propiconazole 0.1 0.1 ND Pass Diazinon 0.1 ND Pass Propoxur 0.1 ND Pass 0.1 ND ND Dichlorvos 0.03 Pass Pyrethrins 0.1 Pass Pass 0.1 Dimethoate 0.03 0.1 ND Pyridaben 0.1 ND Pass 0.1 ND Pass 0.1 0.1 ND Dimethomorph 2 Spinetoram Pass Ethoprophos 0.03 0.1 ND Pass Spinosad 0.1 0.1 ND Pass Etofenprox 0.03 0.1 ND Pass Spiromesifen 0.1 0.1 ND Pass Etoxazole 0.03 0.1 0.1 ND Pass Spirotetramat 0.1 0.1 ND Pass 0.1 ND ND Fenhexamid 0.03 0.1 Pass Spiroxamine 0.03 0.1 0.03 Pass 0.03 0.1 ND Pass Tebuconazole 0.1 ND 0.1 Pass Fenoxycarb 0.03 0.1 0.1 ND Pass Thiacloprid 0.1 ND Pass Fenpyroximate 0.1 Thiamethoxam 5 ND Fipronil ND Pass 0.1 Pass Flonicamid 0.03 0.1 0.1 ND Pass Trifloxystrobin 0.1 0.1 ND Pass

Date Tested: 10/19/2021

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 10/20/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

Double Dream

Harrens

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000020297; Metrc Batch: 1A4060300001F41000000963

Harrens Lab Inc

3507 Breakwater Ave

Hayward, CA 94545

Sample ID: HR20211090304	Produced: 10/15/2021	Distributor	Producer
Strain: Double Dream	Collected: 10/15/2021	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 10/15/2021	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Other	Completed: 10/20/2021	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 13 units; Batch: 2,342 units	Batch#: CO-21165	San Francisco, CA 94124	

(510) 887-8885

DEA#: RH0490805

http://www.harrenslab.com Lic# C8-0000021-LIC

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.15	0.45	1	ND	Pass
Acetone	1.62	4.92	5000	9.0	Pass
Acetonitrile	2.14	6.5	410	ND	Pass
Benzene	0.17	0.51	1	ND	Pass
Butane	10.12	30.68	5000	160.9	Pass
Chloroform	0.2	0.6	1	ND	Pass
Ethanol	2.73	8.27	5000	ND	Pass
Ethyl-Acetate	1.27	3.86	5000	ND	Pass
Ethyl-Ether	2.88	8.72	5000	ND	Pass
Ethylene Oxide	0.13	0.39	1	ND	Pass
Heptane	1.73	5.25	5000	ND	Pass
Isopropanol	2.03	6.14	5000	6.4	Pass
Methanol	2.26	6.86	3000	ND	Pass
Methylene-Chloride	0.31	0.94	1	ND	Pass
n-Hexane	3.46	10.5	290	ND	Pass
Pentane	7.88	23.88	5000	ND	Pass
Propane	7.47	22.62	5000	ND	Pass
Toluene	1.37	4.16	890	ND	Pass
Trichloroethene	0.14	0.44	1	ND	Pass
Xylenes	2.86	8.68	2170	ND	Pass

ISO 17025 Accredited Laboratory

Date Tested: 10/18/2021 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 10/20/2021

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323; SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

Double Dream

arre

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000020297; Metrc Batch: 1A4060300001F41000000963

Sample ID: HR20211090304	Produced: 10/15/2021	Distributor	Producer
Strain: Double Dream	Collected: 10/15/2021	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 10/15/2021	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Other	Completed: 10/20/2021	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 13 units; Batch: 2,342 units	Batch#: CO-21165	San Francisco, CA 94124	

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 10/19/2021

Date lested: 10/19/2021 NR = Not Reported;Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 10/19/2021	A				

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 10/18/2021

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.