Date Tested

01/18/2022

01/17/2022

01/17/2022

01/18/2022

01/18/2022

01/18/2022

01/18/2022

01/14/2022

1 of 5

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

King Louis XIII

larrei

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000022613; Metrc Batch: 1A4060300001F41000001018

Sample ID: HR20220190227	Produced: 01/11/2022	Distributor	Producer
Strain: King Louis XIII	Collected: 01/14/2022	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 01/14/2022	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Distillate	Completed: 01/18/2022	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 20 units; Batch: 4,811 units	Batch#: VC-22002	San Francisco, CA 94124	



Cannabinoids

	90.40% Total THC		ſ	ND Total CBD	2		94.01% Total Cannabinoids
Analyte	LOD	LOQ	Result	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.04000	0.14000	ND	ND	ND	ND	
Δ9-THC	0.07000	0.21000	90.40	904.00	904.00	904.00	
CBDa	0.03000	0.1000	ND	ND	ND	ND	
CBD	0.05000	0.15000	ND	ND	ND	ND	
CBN	0.03000	0.08000	ND	ND	ND	ND	
CBG	0.07000	0.22000	3.61	36.10	36.10	36.10	
Total THC			90.40	904.00	904.00	904.00	
Total CBD			ND	ND	ND	ND	
Total			94.01	940.10	940.10	940.10	

1 Unit = g, 1g. 1 unit(s) per serving. Determination of Cannabinoids by HPLC, HL223 Total THC = THCa * $0.877 + \Delta 9$ -THC Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01







Ming Li - General Manager 01/18/2022

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Result Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Complete

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

King Louis XIII

larrer

ISO 17025 Accredited Laboratory

Metre Sample. 1A40605000077ED000022613, Metre Batch. 1A4060500001P41000001016						
Sample ID: HR20220190227	Produced: 01/11/2022	Distributor	Producer			
Strain: King Louis XIII	Collected: 01/14/2022	Purple Star MD	Purple Star MD			
Matrix: Concentrates & Extracts	Received: 01/14/2022	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056			
Type: Distillate	Completed: 01/18/2022	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124			
Sample Size: 20 units; Batch: 4,811 units	Batch#: VC-22002	San Francisco, CA 94124				

Terpenes

┠

Analyte	LOD	LOQ	Results	Results	
	mg/g	mg/g	mg/g	%	
δ-Limonene	0.08000	0.1000	19.68	1.968	
β-Caryophyllene	0.08000	0.1000	13.46	1.346	
β-Myrcene	0.08000	0.1000	11.90	1.190	
Linalool	0.08000	0.1000	5.68	0.568	
3-Pinene	0.08000	0.1000	3.88	0.388	
α-Humulene	0.08000	0.1000	2.79	0.279	
α-Pinene	0.08000	0.1000	1.24	0.124	
3-Carene	0.08000	0.1000	ND	ND	
α-Bisabolol	0.08000	0.1000	ND	ND	
α-Terpinene	0.08000	0.1000	ND	ND	
3-Ocimene	0.08000	0.1000	ND	ND	
Camphene	0.08000	0.1000	ND	ND	
Caryophyllene Oxide	0.08000	0.1000	ND	ND	
cis-Nerolidol	0.08000	0.1000	ND	ND	
Eucalyptol	0.08000	0.1000	ND	ND	
/-Terpinene	0.08000	0.1000	ND	ND	
Geraniol	0.08000	0.1000	ND	ND	
Guaiol	0.08000	0.1000	ND	ND	
sopulegol	0.08000	0.1000	ND	ND	
p-Cymene	0.08000	0.1000	ND	ND	
Terpinolene	0.08000	0.1000	ND	ND	
trans-Nerolidol	0.08000	0.1000	ND	ND	
Total			58.63	5.863	
SO 170	25 Acc	red	itec	La	boratory

Primary Aromas



Date Tested: 01/17/2022

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID







Ming Li - General Manager 01/18/2022

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545 ISO 17025 Accredited Laboratory

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

King Louis XIII

larrens

Metrc Sample: 1A40603000099ED000022613; Metrc Batch: 1A4060300001F41000001018

Sample ID: HR20220190227	Produced: 01/11/2022	Distributor	Producer
Strain: King Louis XIII	Collected: 01/14/2022	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 01/14/2022	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Distillate	Completed: 01/18/2022	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 20 units; Batch: 4,811 units	Batch#: VC-22002	San Francisco, CA 94124	

Pesticides

LOD LOQ Results Status LOD Analyte Limit Analyte LOQ Limit Results Status µg/g µg/g µg/g µg/g µg/g µg/g µg/g µg/g Fludioxonil Abamectin 0.1 0.1 ND Pass 0.1 0.1 ND Pass 0.03 0.1 0.1 ND 0.1 ND Acephate Pass Hexythiazox 0.1 Pass 0.03 0.1 0.1 ND Pass Imazalil 0.1 ND Acequinocyl Pass Imidacloprid Acetamiprid 0.1 0.1 ND Pass 0.1 5 ND Pass Aldicarb 0.1 ND Pass Kresoxim Methyl 0.1 0.1 ND Pass Azoxystrobin 0.1 0.1 ND Pass Malathion 0.1 ND Pass Bifenazate 0.1 ND Pass 0.1 2 ND 0.03 0.1 Metalaxyl Pass 0.1 ND Pass Pass Bifenthrin 0.03 3 Methiocarb 01 ND Boscalid 0.03 0.1 0.1 ND Pass Methomyl 0.1 ND Pass 1 Captan 0.1 ND Pass Mevinphos 0.1 ND Pass Carbaryl 0.1 ND Pass Myclobutanil 0.1 0.1 ND Pass 0.1 Carbofuran ND Pass Naled 0.1 0.1 ND Pass Chlorantraniliprole 0.1 10 ND Pass Oxamyl 0.1 ND Pass Chlordane 0.1 0.03 ND Pass Paclobutrazol 0.03 0.1 0.03 ND Pass ND Chlorfenapyr 0.1 Pass Parathion Methyl 0.1 ND Pass Pass Chlorpyrifos 0.1 ND Pass Pentachloronitrobenzene 0.1 0.1 ND Clofentezine 0.1 0.1 ND Pass Permethrin 0.1 ND Pass Coumaphos 0.1 0.03 ND Pass Phosmet 0.1 0.1 ND Pass Cyfluthrin 2 ND Pass **Piperonyl Butoxide** ND 0.1 0.1 Pass Cypermethrin ND Pass Prallethrin 0.1 ND 0.1 1 0.1 Pass Daminozide 0.1 0.03 ND Pass Propiconazole 0.1 0.1 ND Pass Diazinon 0.1 ND Pass Propoxur 0.1 ND Pass 0.1 ND ND Dichlorvos 0.03 Pass Pyrethrins 0.1 Pass Pass 0.1 Dimethoate 0.03 0.1 ND Pyridaben 0.1 ND Pass 0.1 ND Pass 0.1 0.1 ND Dimethomorph 2 Spinetoram Pass Ethoprophos 0.03 0.1 ND Pass Spinosad 0.1 0.1 ND Pass Etofenprox 0.03 0.1 ND Pass Spiromesifen 0.1 0.1 ND Pass Etoxazole 0.03 0.1 0.1 ND Pass Spirotetramat 0.1 0.1 ND Pass 0.1 ND 0.1 ND Fenhexamid 0.03 0.1 Pass Spiroxamine 0.03 0.03 Pass 0.03 0.1 ND Pass Tebuconazole 0.1 ND 0.1 Pass Fenoxycarb 0.03 0.1 0.1 ND Pass Thiacloprid 0.1 ND Pass Fenpyroximate 0.1 Thiamethoxam 0.1 5 ND Fipronil ND Pass Pass Flonicamid 0.03 0.1 0.1 ND Pass Trifloxystrobin 0.1 0.1 ND Pass

Date Tested: 01/18/2022

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2







Ming Li - General Manager 01/18/2022

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Pass

King Louis XIII

Harrens

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000022613; Metrc Batch: 1A4060300001F41000001018

Harrens Lab Inc

3507 Breakwater Ave

Hayward, CA 94545

Sample ID: HR20220190227	Produced: 01/11/2022	Distributor	Producer
Strain: King Louis XIII	Collected: 01/14/2022	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 01/14/2022	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Distillate	Completed: 01/18/2022	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 20 units; Batch: 4,811 units	Batch#: VC-22002	San Francisco, CA 94124	

(510) 887-8885

http://www.harrenslab.com

Lic# C8-0000021-LIC

DEA#: RH0490805

Residual Solvents

				1 455
LOD	LOQ	Limit	Results	Status
µg/g	µg/g	µg/g	µg/g	
0.15	0.45	1	ND	Pass
1.62	4.92	5000	ND	Pass
2.14	6.5	410	ND	Pass
0.17	0.51	1	ND	Pass
10.12	30.68	5000	ND	Pass
0.2	0.6	1	ND	Pass
2.73	8.27	5000	ND	Pass
1.27	3.86	5000	ND	Pass
2.88	8.72	5000		Pass
0.13	0.39	1	ND	Pass
1.73	5.25	5000	ND	Pass
2.03		5000		Pass
		3000		Pass
0.31	0.94	1		Pass
		290		Pass
				Pass
				Pass
				Pass
		1		Pass
		2170		Pass
	μg/g 0.15 1.62 2.14 0.17 10.12 0.2 2.73 1.27 2.88 0.13	$\mu g/g$ $\mu g/g$ 0.150.451.624.922.146.50.170.5110.1230.680.20.62.738.271.273.862.888.720.130.391.735.252.036.142.266.860.310.943.4610.57.8823.887.4722.621.374.160.140.44	$\mu g/g$ $\mu g/g$ $\mu g/g$ 0.150.4511.624.9250002.146.54100.170.51110.1230.6850000.20.612.738.2750001.273.8650002.888.7250000.130.3911.735.2550002.036.1450002.266.8630000.310.9413.4610.52907.8823.8850007.4722.6250001.374.168900.140.441	µg/g µg/g µg/g µg/g µg/g 0.15 0.45 1 ND 1.62 4.92 5000 ND 2.14 6.5 410 ND 0.17 0.51 1 ND 10.12 30.68 5000 ND 0.2 0.6 1 ND 1.273 8.27 5000 ND 2.88 8.72 5000 ND 0.13 0.39 1 ND 1.73 5.25 5000 ND 2.03 6.14 5000 37.9 2.26 6.86 3000 ND 0.31 0.94 1 ND 3.46 10.5 290 ND 7.88 23.88 5000 ND 7.47 22.62 5000 ND 1.37 4.16 890 ND 0.14 0.44 1 ND

ISO 17025 Accredited Laboratory

Date Tested: 01/17/2022 ND = Not Detected; SOP HL231. Headspace GC-FID



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Ming Li - General Manager 01/18/2022

ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Harrens Lab Inc 3507 Breakwater Ave Hayward, CA 94545

(510) 887-8885 http://www.harrenslab.com Lic# C8-0000021-LIC DEA#: RH0490805

King Louis XIII

arre

ISO 17025 Accredited Laboratory

Metrc Sample: 1A40603000099ED000022613; Metrc Batch: 1A4060300001F41000001018

Sample ID: HR20220190227	Produced: 01/11/2022	Distributor	Producer
Strain: King Louis XIII	Collected: 01/14/2022	Purple Star MD	Purple Star MD
Matrix: Concentrates & Extracts	Received: 01/14/2022	Lic. # C11-0000006-LIC	Lic. # CDPH-10002056
Type: Distillate	Completed: 01/18/2022	2525 Phelps St	2525 Phelps St, San Francisco, CA 94124
Sample Size: 20 units; Batch: 4,811 units	Batch#: VC-22002	San Francisco, CA 94124	

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 01/18/2022

Date Tested: 01/18/2022 NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.97	2.95		ND	Tested
Aflatoxin B2	0.51	1.56		ND	Tested
Aflatoxin G1	0.65	1.98		ND	Tested
Aflatoxin G2	0.55	1.67		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.55	1.66	20	ND	Pass
Date Tested: 01/18/2022	A				

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 01/18/2022

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.